



**NOTES:**

- FOR PIPE TRENCH INSTALLATION, CONTROLLED LOW STRENGTH MATERIAL (CLSM – NYSDOT ITEM NO. 204.01 OR 204.02) SHALL BE USED AS THE PIPE TRENCH BACKFILL MATERIAL. THE CLSM SHALL EXTEND FROM THE BOTTOM OF THE PIPE TRENCH UP TO THE BOTTOM OF THE ASPHALT CONCRETE BASE COURSE. SUBMITTALS OF THE CLSM (NYSDOT ITEM NO. 204.01 OR 204.02) SHALL BE PROVIDED TO THE COMMISSIONER OF PUBLIC WORKS AND/OR VILLAGE ENGINEER FOR REVIEW AND APPROVAL.
- UNLESS OTHERWISE NOTED, THE EXCAVATION AND EMBANKMENT AND TRENCH AND CULVERT EXCAVATION SHALL MEET THE SPECIFICATIONS OUTLINED IN SECTIONS 203 AND 206 AND OTHER APPLICABLE SECTIONS OF THE NEW YORK STATE DEPARTMENT OF TRANSPORTATION STANDARD SPECIFICATIONS, DATED MAY 7, 2015 WITH LATEST REVISIONS.
- IT IS THE CONTRACTOR'S RESPONSIBILITY TO DETERMINE THE EXACT LOCATIONS OF EXISTING UTILITIES. THE CONTRACTOR SHALL VERIFY ELEVATIONS OF EXISTING UTILITIES TO ENSURE ADEQUATE CLEARANCE FOR THE SEWER LINE EXISTS. THE CONTRACTOR SHALL NOTIFY THE ENGINEER (IN WRITING) OF CONFLICTING ELEVATIONS, ALLOWING THE ENGINEER ADEQUATE TIME TO REVISE GRADES WITHOUT NECESSITATING REMOVAL AND RECONSTRUCTION OF WORK ALREADY COMPLETED BY THE CONTRACTOR.
- THE COMMISSIONER OF PUBLIC WORKS AND/OR VILLAGE ENGINEER SHALL INSPECT THE STORM AND/OR SANITARY SEWER (i.e. STRUCTURES, PIPES, CLEANOUTS, ETC.) PRIOR TO AND DURING BACKFILL. THE OWNER, OWNER'S REPRESENTATIVE AND/OR CONTRACTOR SHALL CONTACT THE COMMISSIONER OF PUBLIC WORKS AT (914) 271-3775 OR VILLAGE ENGINEER AT (914) 271-4783 OR EMAIL ACARR@CROTONONHUDSON-NY.ORG (24) HOURS PRIOR TO START OF THIS WORK.

<p>VILLAGE OF CROTON-ON-HUDSON STANDARD CONSTRUCTION DETAILS</p>	<p><b>STORM AND/OR SANITARY CLEANOUT (WITHIN RIGHT-OFWAY)</b></p>		<p><b>VILLAGE OF CROTON-ON-HUDSON</b> STANLEY H. KELLERHOUSE MUNICIPAL BUILDING 1 VAN WYCK STREET (2ND FLOOR) WESTCHESTER COUNTY VILLAGE OF CROTON-ON-HUDSON, NY 10520 PHONE: (914) 271-3775 FAX: (914) 271-2856</p>	<p>PROJECT: DETAILS SCALE: NOT TO SCALE DATE: 04/10/2015</p>
<p>PREPARED IN THE OFFICE OF THE COMMISSIONER OF PUBLIC WORKS</p>	<p>DESIGNED BY: ARC, PE      CHECKED BY: ARC, PE DRAWN BY: ARC, PE      VOOH SD-3D_Storm Sewer Clep</p>		<p>SD-3D</p>	