



# ENERGY STAR® Statement of Energy Performance

# N/A

ENERGY STAR®  
Score<sup>1</sup>

## Grand St Firehouse

**Primary Property Type:** Fire Station  
**Gross Floor Area (ft²):** 14,300  
**Built:** 1869

**For Year Ending:** December 31, 2020  
**Date Generated:** July 15, 2021

1. The ENERGY STAR score is a 1-100 assessment of a building's energy efficiency as compared with similar buildings nationwide, adjusting for climate and business activity.

### Property & Contact Information

Property Address	Property Owner	Primary Contact
Grand St Firehouse 154 Grand St Croton-on-Hudson, New York 10520	Village of Croton-on-Hudson 1 Van Wyck Street Croton-on-Hudson, NY 10520 9142714848	Bryan Healy 1 Van Wyck Street Croton on Hudson, NY 10520 9142714848 bhealy@crotononhudson-ny.gov

Property ID: 4451913

### Energy Consumption and Energy Use Intensity (EUI)

Site EUI	Annual Energy by Fuel	National Median Comparison	
68.4 kBtu/ft²	Natural Gas (kBtu) 650,800 (67%) Electric - Grid (kBtu) 326,945 (33%)	National Median Site EUI (kBtu/ft²) National Median Source EUI (kBtu/ft²) % Diff from National Median Source EUI	76.4 124.9 -10%
Source EUI	Annual Emissions		
111.8 kBtu/ft²	Greenhouse Gas Emissions (Metric Tons CO2e/year)	60	

### Signature & Stamp of Verifying Professional

I \_\_\_\_\_ (Name) verify that the above information is true and correct to the best of my knowledge.

LP Signature: \_\_\_\_\_ Date: \_\_\_\_\_

### Licensed Professional

\_\_\_\_\_  
,  
(\_\_\_\_)\_\_\_\_-\_\_\_\_  
\_\_\_\_\_



Professional Engineer or Registered  
Architect Stamp  
(if applicable)