



ENERGY STAR[®] Statement of Energy Performance

N/A

Municipal Building

Primary Property Type: Other - Public Services
Gross Floor Area (ft²): 30,000
Built: 1908

ENERGY STAR[®]
Score¹

For Year Ending: December 31, 2020
Date Generated: July 15, 2021

1. The ENERGY STAR score is a 1-100 assessment of a building's energy efficiency as compared with similar buildings nationwide, adjusting for climate and business activity.

Property & Contact Information

Property Address

Municipal Building
1 Van Wyck St
Croton-on-Hudson, New York 10520

Property Owner

Village of Croton-on-Hudson
1 Van Wyck Street
Croton-on-Hudson, NY 10520
9142714848

Primary Contact

Bryan Healy
1 Van Wyck Street
Croton on Hudson, NY 10520
9142714848
bhealy@crotononhudson-ny.gov

Property ID: 4451910

Energy Consumption and Energy Use Intensity (EUI)

Site EUI

61.8 kBtu/ft²

Annual Energy by Fuel

Natural Gas (kBtu)	1,294,700 (70%)
Electric - Grid (kBtu)	558,613 (30%)

National Median Comparison

National Median Site EUI (kBtu/ft ²)	56.6
National Median Source EUI (kBtu/ft ²)	89.3
% Diff from National Median Source EUI	9%

Source EUI

97.5 kBtu/ft²

Annual Emissions

Greenhouse Gas Emissions (Metric Tons CO ₂ e/year)	113
---	-----

Signature & Stamp of Verifying Professional

I _____ (Name) verify that the above information is true and correct to the best of my knowledge.

LP Signature: _____ Date: _____

Licensed Professional

,
(____)____-____



**Professional Engineer or Registered
Architect Stamp
(if applicable)**