




Project information		Background information	
Company	Vanguard Construction Solutions	Start date	09.10.2023 00:00:00
Customer	-	End date	10.10.2023 00:00:00
Operator	-	Periodicity	Daily
Location	63 van wyck st Croton-On-Hudson		
Date	From 14.09.2023		
Description			
Peak Plot			

Devices


- 63VanWyckR22140025
22140025
- 64VanWyck-22140039
22140039



Dominant Frequency Plot

Devices


- 63VanWyckR22140025
- 64VanWyck-22140039



Vector Sum Plot

Devices

- 63VanWyckR22140025
22140025
- 64VanWyck-22140039
22140039



Events table

MR name	Date	Duration	Peak X	Peak Y	Peak Z	Vsum	Filename
63VanWyckR22140025	09.10.2023 11:19:31.910	00:00:02	0.501	0.142	0.201	0.508	00000291.SCS
63VanWyckR22140025	09.10.2023 11:19:34.923	00:00:02	0.517	0.14	0.2	0.526	00000292.SCS
63VanWyckR22140025	09.10.2023 11:19:36.447	00:00:02	0.515	0.142	0.212	0.523	00000293.SCS
63VanWyckR22140025	09.10.2023 11:19:37.965	00:00:02	0.522	0.14	0.213	0.531	00000294.SCS
63VanWyckR22140025	09.10.2023 11:19:39.480	00:00:02	0.531	0.141	0.214	0.542	00000295.SCS
63VanWyckR22140025	09.10.2023 11:19:41.001	00:00:02	0.536	0.142	0.214	0.547	00000296.SCS
63VanWyckR22140025	09.10.2023 11:19:42.526	00:00:02	0.534	0.147	0.216	0.546	00000297.SCS
63VanWyckR22140025	09.10.2023 11:19:44.040	00:00:02	0.538	0.144	0.205	0.551	00000298.SCS
63VanWyckR22140025	09.10.2023 11:19:45.924	00:00:02	0.544	0.145	0.203	0.557	00000299.SCS
63VanWyckR22140025	09.10.2023 11:19:47.439	00:00:02	0.534	0.146	0.215	0.541	0000029A.SCS
63VanWyckR22140025	09.10.2023 11:19:48.959	00:00:02	0.535	0.15	0.208	0.55	0000029B.SCS
63VanWyckR22140025	09.10.2023 11:19:50.477	00:00:02	0.537	0.146	0.2	0.552	0000029C.SCS
63VanWyckR22140025	09.10.2023 11:19:52.003	00:00:02	0.545	0.146	0.21	0.55	0000029D.SCS
63VanWyckR22140025	09.10.2023 11:19:53.517	00:00:02	0.551	0.14	0.204	0.554	0000029E.SCS
63VanWyckR22140025	09.10.2023 11:19:55.038	00:00:02	0.55	0.142	0.197	0.551	0000029F.SCS
63VanWyckR22140025	09.10.2023 11:19:56.560	00:00:02	0.568	0.145	0.196	0.568	000002A0.SCS
63VanWyckR22140025	09.10.2023 11:19:58.080	00:00:02	0.569	0.146	0.183	0.569	000002A1.SCS
63VanWyckR22140025	09.10.2023 11:19:59.600	00:00:02	0.549	0.142	0.178	0.549	000002A2.SCS
63VanWyckR22140025	09.10.2023 11:20:01.118	00:00:02	0.553	0.14	0.183	0.554	000002A3.SCS
63VanWyckR22140025	09.10.2023 11:20:02.635	00:00:02	0.557	0.141	0.179	0.557	000002A4.SCS
63VanWyckR22140025	09.10.2023 11:20:04.153	00:00:02	0.545	0.14	0.19	0.546	000002A5.SCS
63VanWyckR22140025	09.10.2023 11:20:05.673	00:00:02	0.548	0.14	0.191	0.549	000002A6.SCS
63VanWyckR22140025	09.10.2023 11:20:07.189	00:00:02	0.535	0.137	0.187	0.535	000002A7.SCS
63VanWyckR22140025	09.10.2023 11:20:08.737	00:00:02	0.542	0.138	0.19	0.542	000002A8.SCS
63VanWyckR22140025	09.10.2023 11:20:10.233	00:00:02	0.547	0.143	0.187	0.547	000002A9.SCS
63VanWyckR22140025	09.10.2023 11:20:11.780	00:00:02	0.546	0.139	0.198	0.549	000002AA.SCS
63VanWyckR22140025	09.10.2023 11:20:13.272	00:00:02	0.543	0.142	0.191	0.544	000002AB.SCS
63VanWyckR22140025	09.10.2023 11:20:14.818	00:00:02	0.547	0.132	0.205	0.551	000002AC.SCS
63VanWyckR22140025	09.10.2023 11:20:16.338	00:00:02	0.545	0.132	0.208	0.551	000002AD.SCS
63VanWyckR22140025	09.10.2023 11:20:17.831	00:00:02	0.55	0.138	0.198	0.551	000002AE.SCS
63VanWyckR22140025	09.10.2023 11:20:19.353	00:00:02	0.562	0.142	0.207	0.565	000002AF.SCS
63VanWyckR22140025	09.10.2023 11:20:20.893	00:00:02	0.558	0.14	0.212	0.563	000002B0.SCS
63VanWyckR22140025	09.10.2023 11:20:22.377	00:00:02	0.558	0.134	0.212	0.56	000002B1.SCS
63VanWyckR22140025	09.10.2023 12:25:04.614	00:00:02	0.51	0.138	0.155	0.51	000002B2.SCS
63VanWyckR22140025	09.10.2023 12:25:06.184	00:00:02	0.521	0.134	0.156	0.521	000002B3.SCS
63VanWyckR22140025	09.10.2023 12:25:07.771	00:00:02	0.527	0.128	0.165	0.529	000002B4.SCS
63VanWyckR22140025	09.10.2023 12:25:09.349	00:00:02	0.529	0.122	0.166	0.53	000002B5.SCS
63VanWyckR22140025	09.10.2023 12:25:10.927	00:00:02	0.544	0.123	0.166	0.546	000002B6.SCS
63VanWyckR22140025	09.10.2023 12:25:12.501	00:00:02	0.535	0.123	0.171	0.539	000002B7.SCS
63VanWyckR22140025	09.10.2023 12:25:13.975	00:00:02	0.535	0.121	0.172	0.539	000002B8.SCS
63VanWyckR22140025	09.10.2023 12:25:15.442	00:00:02	0.533	0.122	0.174	0.537	000002B9.SCS
63VanWyckR22140025	09.10.2023 12:25:16.916	00:00:02	0.52	0.133	0.165	0.522	000002BA.SCS
63VanWyckR22140025	09.10.2023 12:25:18.455	00:00:02	0.533	0.136	0.175	0.538	000002BB.SCS

63VanWyckR22140025	09.10.2023 12:25:19.929	00:00:02	0.538	0.121	0.174	0.544	000002BC.SCS
63VanWyckR22140025	09.10.2023 12:25:21.405	00:00:02	0.544	0.121	0.182	0.55	000002BD.SCS
63VanWyckR22140025	09.10.2023 12:25:22.876	00:00:02	0.533	0.122	0.186	0.542	000002BE.SCS
63VanWyckR22140025	09.10.2023 12:25:24.352	00:00:02	0.544	0.123	0.179	0.548	000002BF.SCS
63VanWyckR22140025	09.10.2023 12:25:25.830	00:00:02	0.545	0.12	0.177	0.549	000002C0.SCS
63VanWyckR22140025	09.10.2023 12:25:27.304	00:00:02	0.539	0.123	0.181	0.544	000002C1.SCS
63VanWyckR22140025	09.10.2023 12:25:28.778	00:00:02	0.553	0.124	0.186	0.558	000002C2.SCS
63VanWyckR22140025	09.10.2023 12:25:30.252	00:00:02	0.541	0.124	0.184	0.544	000002C3.SCS
63VanWyckR22140025	09.10.2023 12:25:31.727	00:00:02	0.54	0.122	0.183	0.544	000002C4.SCS
63VanWyckR22140025	09.10.2023 12:25:33.201	00:00:02	0.552	0.124	0.192	0.56	000002C5.SCS
63VanWyckR22140025	09.10.2023 12:25:34.675	00:00:02	0.558	0.124	0.188	0.563	000002C6.SCS
63VanWyckR22140025	09.10.2023 12:25:36.148	00:00:02	0.552	0.123	0.185	0.555	000002C7.SCS
63VanWyckR22140025	09.10.2023 12:25:37.626	00:00:02	0.559	0.128	0.191	0.565	000002C8.SCS
63VanWyckR22140025	09.10.2023 12:25:39.102	00:00:02	0.561	0.126	0.193	0.567	000002C9.SCS
63VanWyckR22140025	09.10.2023 12:25:40.576	00:00:02	0.568	0.122	0.192	0.573	000002CA.SCS
63VanWyckR22140025	09.10.2023 12:25:42.048	00:00:02	0.56	0.126	0.188	0.564	000002CB.SCS
63VanWyckR22140025	09.10.2023 12:25:43.522	00:00:02	0.562	0.126	0.195	0.569	000002CC.SCS
63VanWyckR22140025	09.10.2023 12:25:44.997	00:00:02	0.563	0.134	0.188	0.567	000002CD.SCS
63VanWyckR22140025	09.10.2023 12:25:46.473	00:00:02	0.572	0.13	0.188	0.575	000002CE.SCS
63VanWyckR22140025	09.10.2023 12:25:47.945	00:00:02	0.567	0.138	0.191	0.571	000002CF.SCS
63VanWyckR22140025	09.10.2023 12:25:49.421	00:00:02	0.567	0.135	0.189	0.571	000002D0.SCS
63VanWyckR22140025	09.10.2023 12:25:50.895	00:00:02	0.568	0.135	0.184	0.571	000002D1.SCS
63VanWyckR22140025	09.10.2023 12:25:52.371	00:00:02	0.551	0.131	0.188	0.553	000002D2.SCS
63VanWyckR22140025	09.10.2023 12:25:53.842	00:00:02	0.566	0.134	0.193	0.572	000002D3.SCS
63VanWyckR22140025	09.10.2023 12:25:55.318	00:00:02	0.567	0.137	0.185	0.57	000002D4.SCS
63VanWyckR22140025	09.10.2023 12:25:56.790	00:00:02	0.574	0.131	0.183	0.577	000002D5.SCS
63VanWyckR22140025	09.10.2023 12:25:58.266	00:00:02	0.571	0.136	0.188	0.575	000002D6.SCS
63VanWyckR22140025	09.10.2023 12:25:59.740	00:00:02	0.567	0.13	0.189	0.573	000002D7.SCS
63VanWyckR22140025	09.10.2023 12:26:01.219	00:00:02	0.566	0.141	0.192	0.572	000002D8.SCS
63VanWyckR22140025	09.10.2023 12:26:02.691	00:00:02	0.57	0.141	0.19	0.575	000002D9.SCS
63VanWyckR22140025	09.10.2023 12:26:04.167	00:00:02	0.561	0.139	0.189	0.567	000002DA.SCS
63VanWyckR22140025	09.10.2023 12:26:05.641	00:00:02	0.567	0.142	0.184	0.57	000002DB.SCS
63VanWyckR22140025	09.10.2023 12:26:07.115	00:00:02	0.567	0.139	0.18	0.569	000002DC.SCS
63VanWyckR22140025	09.10.2023 12:26:08.588	00:00:02	0.557	0.137	0.185	0.561	000002DD.SCS
63VanWyckR22140025	09.10.2023 12:26:10.064	00:00:02	0.556	0.145	0.183	0.562	000002DE.SCS
63VanWyckR22140025	09.10.2023 12:26:11.536	00:00:02	0.546	0.142	0.182	0.548	000002DF.SCS
63VanWyckR22140025	09.10.2023 12:26:13.012	00:00:02	0.558	0.14	0.175	0.56	000002E0.SCS
63VanWyckR22140025	09.10.2023 12:26:14.486	00:00:02	0.55	0.139	0.172	0.553	000002E1.SCS
63VanWyckR22140025	09.10.2023 12:26:15.965	00:00:02	0.554	0.137	0.176	0.556	000002E2.SCS
63VanWyckR22140025	09.10.2023 12:26:17.433	00:00:02	0.562	0.141	0.179	0.566	000002E3.SCS
63VanWyckR22140025	09.10.2023 13:47:19.483	00:00:02	0.506	0.121	0.0917	0.506	000002E4.SCS
63VanWyckR22140025	09.10.2023 13:47:20.926	00:00:02	0.511	0.125	0.0912	0.512	000002E5.SCS
63VanWyckR22140025	09.10.2023 13:47:22.362	00:00:02	0.502	0.125	0.0925	0.502	000002E6.SCS
63VanWyckR22140025	09.10.2023 13:47:25.258	00:00:02	0.503	0.124	0.0917	0.503	000002E7.SCS
63VanWyckR22140025	09.10.2023 13:47:28.140	00:00:02	0.504	0.124	0.0916	0.504	000002E8.SCS

63VanWyckR22140025	09.10.2023 13:47:29.579	00:00:02	0.504	0.124	0.0909	0.505	000002E9.SCS
63VanWyckR22140025	09.10.2023 13:47:31.029	00:00:02	0.511	0.118	0.0908	0.511	000002EA.SCS
63VanWyckR22140025	09.10.2023 13:47:32.473	00:00:02	0.502	0.122	0.0916	0.502	000002EB.SCS
63VanWyckR22140025	09.10.2023 13:47:34.162	00:00:02	0.502	0.122	0.0928	0.503	000002EC.SCS
63VanWyckR22140025	09.10.2023 13:47:37.049	00:00:02	0.512	0.123	0.0963	0.513	000002ED.SCS
63VanWyckR22140025	09.10.2023 13:47:38.489	00:00:02	0.507	0.119	0.0926	0.507	000002EE.SCS
63VanWyckR22140025	09.10.2023 13:47:39.937	00:00:02	0.503	0.117	0.091	0.503	000002EF.SCS
63VanWyckR22140025	09.10.2023 13:47:41.387	00:00:02	0.512	0.119	0.0954	0.512	000002F0.SCS
63VanWyckR22140025	09.10.2023 13:47:42.829	00:00:02	0.522	0.117	0.0943	0.522	000002F1.SCS
63VanWyckR22140025	09.10.2023 13:47:44.269	00:00:02	0.513	0.11	0.0975	0.513	000002F2.SCS
63VanWyckR22140025	09.10.2023 13:47:45.716	00:00:02	0.518	0.118	0.0989	0.518	000002F3.SCS
63VanWyckR22140025	09.10.2023 13:47:47.166	00:00:02	0.516	0.116	0.101	0.516	000002F4.SCS
63VanWyckR22140025	09.10.2023 13:47:48.610	00:00:02	0.514	0.117	0.101	0.514	000002F5.SCS
63VanWyckR22140025	09.10.2023 13:47:50.056	00:00:02	0.513	0.112	0.0998	0.513	000002F6.SCS
63VanWyckR22140025	09.10.2023 13:47:51.498	00:00:02	0.522	0.112	0.101	0.522	000002F7.SCS
63VanWyckR22140025	09.10.2023 13:47:52.942	00:00:02	0.523	0.116	0.103	0.523	000002F8.SCS
63VanWyckR22140025	09.10.2023 13:47:54.377	00:00:02	0.519	0.113	0.0989	0.519	000002F9.SCS
63VanWyckR22140025	09.10.2023 13:47:55.825	00:00:02	0.522	0.111	0.1	0.522	000002FA.SCS
63VanWyckR22140025	09.10.2023 13:47:57.275	00:00:02	0.527	0.113	0.107	0.527	000002FB.SCS
63VanWyckR22140025	09.10.2023 13:47:58.717	00:00:02	0.518	0.112	0.0983	0.519	000002FC.SCS
63VanWyckR22140025	09.10.2023 13:48:00.163	00:00:02	0.537	0.116	0.107	0.537	000002FD.SCS
63VanWyckR22140025	09.10.2023 13:48:01.594	00:00:02	0.523	0.115	0.107	0.524	000002FE.SCS
63VanWyckR22140025	09.10.2023 13:48:03.042	00:00:02	0.534	0.112	0.103	0.534	000002FF.SCS
63VanWyckR22140025	09.10.2023 13:48:04.490	00:00:02	0.54	0.116	0.104	0.541	00000300.SCS
63VanWyckR22140025	09.10.2023 13:48:05.942	00:00:02	0.542	0.112	0.107	0.542	00000301.SCS
63VanWyckR22140025	09.10.2023 13:48:07.378	00:00:02	0.526	0.111	0.0998	0.527	00000302.SCS
63VanWyckR22140025	09.10.2023 13:48:08.824	00:00:02	0.546	0.11	0.11	0.547	00000303.SCS
63VanWyckR22140025	09.10.2023 13:48:10.279	00:00:02	0.552	0.113	0.112	0.552	00000304.SCS
63VanWyckR22140025	09.10.2023 13:48:11.719	00:00:02	0.541	0.115	0.104	0.542	00000305.SCS
63VanWyckR22140025	09.10.2023 13:48:13.157	00:00:02	0.549	0.115	0.109	0.549	00000306.SCS
63VanWyckR22140025	09.10.2023 13:48:14.603	00:00:02	0.537	0.111	0.111	0.537	00000307.SCS
63VanWyckR22140025	09.10.2023 13:48:16.051	00:00:02	0.555	0.118	0.112	0.556	00000308.SCS
63VanWyckR22140025	09.10.2023 13:48:17.496	00:00:02	0.548	0.117	0.112	0.548	00000309.SCS
63VanWyckR22140025	09.10.2023 13:48:18.942	00:00:02	0.54	0.113	0.112	0.54	0000030A.SCS
63VanWyckR22140025	09.10.2023 13:48:20.390	00:00:02	0.54	0.115	0.112	0.541	0000030B.SCS
63VanWyckR22140025	09.10.2023 13:48:21.830	00:00:02	0.547	0.115	0.115	0.548	0000030C.SCS
63VanWyckR22140025	09.10.2023 13:48:23.276	00:00:02	0.547	0.115	0.116	0.548	0000030D.SCS
63VanWyckR22140025	09.10.2023 13:48:24.715	00:00:02	0.541	0.114	0.117	0.541	0000030E.SCS
63VanWyckR22140025	09.10.2023 13:48:26.163	00:00:02	0.528	0.115	0.114	0.53	0000030F.SCS
63VanWyckR22140025	09.10.2023 13:48:27.611	00:00:02	0.545	0.112	0.127	0.546	00000310.SCS
63VanWyckR22140025	09.10.2023 13:48:29.057	00:00:02	0.542	0.115	0.122	0.542	00000311.SCS
63VanWyckR22140025	09.10.2023 13:48:30.495	00:00:02	0.516	0.113	0.117	0.517	00000312.SCS
63VanWyckR22140025	09.10.2023 13:48:31.943	00:00:02	0.516	0.116	0.122	0.518	00000313.SCS
63VanWyckR22140025	09.10.2023 13:48:33.384	00:00:02	0.514	0.121	0.12	0.514	00000314.SCS
63VanWyckR22140025	09.10.2023 13:48:36.276	00:00:02	0.512	0.127	0.121	0.512	00000315.SCS

63VanWyckR22140025	09.10.2023 13:48:37.719	00:00:02	0.502	0.128	0.12	0.503	00000316.SCS
63VanWyckR22140025	09.10.2023 13:48:39.166	00:00:02	0.516	0.13	0.124	0.516	00000317.SCS
63VanWyckR22140025	09.10.2023 13:48:42.055	00:00:02	0.508	0.133	0.121	0.508	00000318.SCS
63VanWyckR22140025	09.10.2023 13:48:43.503	00:00:02	0.501	0.13	0.114	0.503	00000319.SCS
63VanWyckR22140025	09.10.2023 13:48:52.170	00:00:02	0.503	0.132	0.119	0.505	0000031A.SCS
63VanWyckR22140025	09.10.2023 14:41:21.616	00:00:02	0.506	0.116	0.115	0.507	0000031B.SCS
63VanWyckR22140025	09.10.2023 14:41:23.066	00:00:02	0.508	0.118	0.114	0.51	0000031C.SCS
63VanWyckR22140025	09.10.2023 14:41:24.507	00:00:02	0.511	0.115	0.118	0.512	0000031D.SCS
63VanWyckR22140025	09.10.2023 14:41:27.407	00:00:02	0.514	0.118	0.117	0.516	0000031E.SCS
63VanWyckR22140025	09.10.2023 14:41:28.851	00:00:02	0.507	0.118	0.123	0.509	0000031F.SCS
63VanWyckR22140025	09.10.2023 14:41:30.283	00:00:02	0.505	0.12	0.117	0.507	00000320.SCS
63VanWyckR22140025	09.10.2023 14:41:31.735	00:00:02	0.518	0.119	0.12	0.52	00000321.SCS
63VanWyckR22140025	09.10.2023 14:41:33.175	00:00:02	0.506	0.12	0.119	0.508	00000322.SCS
63VanWyckR22140025	09.10.2023 14:41:34.630	00:00:02	0.508	0.122	0.121	0.509	00000323.SCS
63VanWyckR22140025	09.10.2023 14:41:36.403	00:00:02	0.526	0.118	0.121	0.528	00000324.SCS
63VanWyckR22140025	09.10.2023 14:41:37.849	00:00:02	0.52	0.119	0.12	0.521	00000325.SCS
63VanWyckR22140025	09.10.2023 14:41:39.289	00:00:02	0.529	0.119	0.119	0.531	00000326.SCS
63VanWyckR22140025	09.10.2023 14:41:40.733	00:00:02	0.528	0.119	0.112	0.53	00000327.SCS
63VanWyckR22140025	09.10.2023 14:41:42.184	00:00:02	0.531	0.119	0.118	0.532	00000328.SCS
63VanWyckR22140025	09.10.2023 14:41:43.625	00:00:02	0.533	0.119	0.112	0.536	00000329.SCS
63VanWyckR22140025	09.10.2023 14:41:45.068	00:00:02	0.532	0.121	0.117	0.535	0000032A.SCS
63VanWyckR22140025	09.10.2023 14:41:46.518	00:00:02	0.523	0.12	0.124	0.525	0000032B.SCS
63VanWyckR22140025	09.10.2023 14:41:47.960	00:00:02	0.526	0.119	0.123	0.528	0000032C.SCS
63VanWyckR22140025	09.10.2023 14:41:49.394	00:00:02	0.53	0.118	0.118	0.532	0000032D.SCS
63VanWyckR22140025	09.10.2023 14:41:50.844	00:00:02	0.536	0.118	0.118	0.539	0000032E.SCS
63VanWyckR22140025	09.10.2023 14:41:52.295	00:00:02	0.532	0.119	0.122	0.534	0000032F.SCS
63VanWyckR22140025	09.10.2023 14:41:53.733	00:00:02	0.536	0.117	0.112	0.539	00000330.SCS
63VanWyckR22140025	09.10.2023 14:41:55.179	00:00:02	0.536	0.118	0.113	0.539	00000331.SCS
63VanWyckR22140025	09.10.2023 14:41:56.621	00:00:02	0.538	0.114	0.119	0.54	00000332.SCS
63VanWyckR22140025	09.10.2023 14:41:58.071	00:00:02	0.54	0.117	0.114	0.543	00000333.SCS
63VanWyckR22140025	09.10.2023 14:41:59.511	00:00:02	0.533	0.115	0.119	0.535	00000334.SCS

