



# ENERGY STAR® Statement of Energy Performance

# N/A

## DPW Garage

**Primary Property Type:** Repair Services (Vehicle, Shoe, Locksmith, etc.)  
**Gross Floor Area (ft²):** 10,900  
**Built:** 1969

ENERGY STAR®  
Score<sup>1</sup>

**For Year Ending:** December 31, 2017  
**Date Generated:** September 17, 2018

1. The ENERGY STAR score is a 1-100 assessment of a building's energy efficiency as compared with similar buildings nationwide, adjusting for climate and business activity.

### Property & Contact Information

**Property Address**

DPW Garage  
4 Gateway Plaza  
Croton-on-Hudson, New York 10520

**Property Owner**

Village of Croton-on-Hudson  
1 Van Wyck Street  
Croton-on-Hudson, NY 10520  
9142714848

**Primary Contact**

Bryan Healy  
1 Van Wyck Street  
Croton on Hudson, NY 10520  
9142714848  
bhealy@crotononhudson-ny.gov

**Property ID:** 4451911

### Energy Consumption and Energy Use Intensity (EUI)

**Site EUI**

166.7 kBtu/ft²

**Annual Energy by Fuel**

Natural Gas (kBtu)	1,543,800 (85%)
Electric - Grid (kBtu)	273,506 (15%)

**National Median Comparison**

National Median Site EUI (kBtu/ft²)	73.8
National Median Source EUI (kBtu/ft²)	96.9
% Diff from National Median Source EUI	126%

**Source EUI**

219 kBtu/ft²

**Annual Emissions**

Greenhouse Gas Emissions (Metric Tons CO2e/year)	105
--	-----

### Signature & Stamp of Verifying Professional

I \_\_\_\_\_ (Name) verify that the above information is true and correct to the best of my knowledge.

Signature: \_\_\_\_\_ Date: \_\_\_\_\_

#### Licensed Professional

\_\_\_\_\_  
,  
(\_\_\_\_)\_\_\_\_-\_\_\_\_  
\_\_\_\_\_



**Professional Engineer Stamp**  
(if applicable)