



ENERGY STAR[®] Statement of Energy Performance

N/A

Municipal Building

Primary Property Type: Other - Public Services
Gross Floor Area (ft²): 30,000
Built: 1908

ENERGY STAR[®]
Score¹

For Year Ending: December 31, 2017
Date Generated: September 17, 2018

1. The ENERGY STAR score is a 1-100 assessment of a building's energy efficiency as compared with similar buildings nationwide, adjusting for climate and business activity.

Property & Contact Information

Property Address

Municipal Building
1 Van Wyck St
Croton-on-Hudson, New York 10520

Property Owner

Village of Croton-on-Hudson
1 Van Wyck Street
Croton-on-Hudson, NY 10520
9142714848

Primary Contact

Bryan Healy
1 Van Wyck Street
Croton on Hudson, NY 10520
9142714848
bhealy@crotononhudson-ny.gov

Property ID: 4451910

Energy Consumption and Energy Use Intensity (EUI)

Site EUI

61.5 kBtu/ft²

Annual Energy by Fuel

Electric - Grid (kBtu)	839,625 (46%)
Fuel Oil (No. 2) (kBtu)	493,350 (27%)
Natural Gas (kBtu)	510,597 (28%)

National Median Comparison

National Median Site EUI (kBtu/ft ²)	48.6
National Median Source EUI (kBtu/ft ²)	89.3
% Diff from National Median Source EUI	26%

Source EUI

112.8 kBtu/ft²

Annual Emissions

Greenhouse Gas Emissions (Metric Tons CO ₂ e/year)	135
---	-----

Signature & Stamp of Verifying Professional

I _____ (Name) verify that the above information is true and correct to the best of my knowledge.

Signature: _____ Date: _____

Licensed Professional

,
(____)____-____



Professional Engineer Stamp
(if applicable)