



# ENERGY STAR<sup>®</sup> Statement of Energy Performance

# N/A

## Washington Firehouse

**Primary Property Type:** Fire Station  
**Gross Floor Area (ft<sup>2</sup>):** 4,200  
**Built:** 1980

ENERGY STAR<sup>®</sup>  
Score<sup>1</sup>

**For Year Ending:** December 31, 2017  
**Date Generated:** September 17, 2018

1. The ENERGY STAR score is a 1-100 assessment of a building's energy efficiency as compared with similar buildings nationwide, adjusting for climate and business activity.

### Property & Contact Information

**Property Address**

Washington Firehouse  
81 N Riverside Ave  
Croton-on-Hudson, New York 10520

**Property Owner**

Village of Croton-on-Hudson  
1 Van Wyck Street  
Croton-on-Hudson, NY 10520  
9142714848

**Primary Contact**

Bryan Healy  
1 Van Wyck Street  
Croton on Hudson, NY 10520  
9142714848  
bhealy@crotononhudson-ny.gov

**Property ID:** 4475660

### Energy Consumption and Energy Use Intensity (EUI)

**Site EUI**

76.2 kBtu/ft<sup>2</sup>

**Annual Energy by Fuel**

Natural Gas (kBtu)	23,000 (7%)
Electric - Grid (kBtu)	140,888 (44%)
Fuel Oil (No. 2) (kBtu)	155,954 (49%)

**National Median Comparison**

National Median Site EUI (kBtu/ft <sup>2</sup> )	69.3
National Median Source EUI (kBtu/ft <sup>2</sup> )	124.9
% Diff from National Median Source EUI	10%

**Source EUI**

137.2 kBtu/ft<sup>2</sup>

**Annual Emissions**

Greenhouse Gas Emissions (Metric Tons CO <sub>2</sub> e/year)	25
---	----

### Signature & Stamp of Verifying Professional

I \_\_\_\_\_ (Name) verify that the above information is true and correct to the best of my knowledge.

Signature: \_\_\_\_\_ Date: \_\_\_\_\_

#### Licensed Professional

\_\_\_\_\_  
,  
(\_\_\_\_)\_\_\_\_-\_\_\_\_  
\_\_\_\_\_



**Professional Engineer Stamp**  
(if applicable)