



ENERGY STAR[®] Statement of Energy Performance

N/A

Washington Firehouse

Primary Property Type: Fire Station
Gross Floor Area (ft²): 4,200
Built: 1980

ENERGY STAR[®]
Score¹

For Year Ending: December 31, 2019
Date Generated: June 05, 2020

1. The ENERGY STAR score is a 1-100 assessment of a building's energy efficiency as compared with similar buildings nationwide, adjusting for climate and business activity.

Property & Contact Information

Property Address

Washington Firehouse
81 N Riverside Ave
Croton-on-Hudson, New York 10520

Property Owner

Village of Croton-on-Hudson
1 Van Wyck Street
Croton-on-Hudson, NY 10520
9142714848

Primary Contact

Bryan Healy
1 Van Wyck Street
Croton on Hudson, NY 10520
9142714848
bhealy@crotononhudson-ny.gov

Property ID: 4475660

Energy Consumption and Energy Use Intensity (EUI)

Site EUI

115.2 kBtu/ft²

Annual Energy by Fuel

Fuel Oil (No. 2) (kBtu)	356,026 (74%)
Electric - Grid (kBtu)	105,328 (22%)
Natural Gas (kBtu)	22,500 (5%)

National Median Comparison

National Median Site EUI (kBtu/ft ²)	89.1
National Median Source EUI (kBtu/ft ²)	124.9
% Diff from National Median Source EUI	29%

Source EUI

161.5 kBtu/ft²

Annual Emissions

Greenhouse Gas Emissions (Metric Tons CO ₂ e/year)	36
---	----

Signature & Stamp of Verifying Professional

I _____ (Name) verify that the above information is true and correct to the best of my knowledge.

LP Signature: _____ Date: _____

Licensed Professional

,
(____)____-____



**Professional Engineer or Registered
Architect Stamp
(if applicable)**